

Manual XML-Generator-tool



Author: Benjamin Maas, METRONOM GmbH
Gino Schulz, EECC GmbH

Version: 1.10

Last update: 28.08.2018

Summary:

This manual describes how to use the XML-generator-tool to upload information to the PRO TRACE system.

System requirements:

The described XML-generator-tool requires MS Excel 2007, 2010 or 2016.

It was tested on the operating systems MS Windows 7 and Windows 10.

It does not run on MS Excel 2003, 2000 or older versions.

Contents

1.	Preparatory steps for first use (one time)	3
1.1	Align the source data (e.g. export from ERP-system).....	3
1.2	Add Masterdata	3
2.	Steps for regular use: enter the relevant information	5
2.1	Fish aquaculture	5
2.2	Further processing.....	6
3.	Upload to the PRO TRACE DATA ENTRY-website	7
4.	Request traceability information via the PRO TRACE app.....	9
5.	Appendix.....	10
5.1	GLN (Global Location Number) and GCP (Global Company Prefix):.....	10
5.2	Example XML file	11

1. Preparatory steps for first use (one time)

For each category, you need to enter a different set of attributes for traceability (Fruit & vegetables, Fish, Fish aquaculture and Meat).

This is why there are four different versions of this XML-generator-tool, depending on the information you want to process. If you do not have the suitable version for your products, please contact the following e-mail address:


EPCONxIs@eecc.info.

1.1 Align the source data (e.g. export from ERP-system)

If you are using an ERP system which contains all necessary traceability information, you need to generate an export which is aligned to the table structure of the XML-generator-tool. That means the order of the columns and the value they contain need to be equals. More details which columns are required for the XML-generator-tool can be found in the [Fish aquaculture](#) chapter. After the proper alignment, the exported values can just be copied into the “Input” sheet of the XML-generator tool and the XML file can be generated ([see chapter 2.2](#)).

1.2 Add Masterdata

When you open the tool for the very first time, you may see depending on the security settings in your company or your Excel configuration e.g. the following two informatory messages: (1) ‘Macros have been deactivated’. In this case press the button ‘Activate content’ to allow the macros in this Excel sheet to be executed. (2) This file originates from an email attachment and may represent a risk. Click here to show further details.’ In this case press the button ‘Activate editing’.




For all different assortments, there is one thing in common: You need to enter your article master data first:

For this, just switch to the sheet master data and enter all the GTINs, you want to use.

You also need to enter the Global Company Prefix (GCP)-length ([see Appendix for further explanation](#)).

Finally, you can assign an article text to each GTIN. This will make it easier to work with the tool later on.




	A	B	C	G	H	I	J	K	L	M
1	METRO GROUP LOCATION MASTERDATA EPCIS XML EVENT GENERATOR meat									
2	GLN13	GCP Length	Location Text	GLN Validation						
3	4000000110002	8	GS1-sample-company	valid						
4	4000001000005	7	GS1	valid						
5	4004876000009	7	Keinhörster	valid						
6										
7										

Example screenshots are above on fish and meat. The templates for fruit&vegetables and fish aquaculture appear to be very similar and can be used equivalently.

The columns “GTIN validation” and “GLN validation” show, if you entered a valid GTIN / GLN.


Once, you have entered your article master data, the tool is ready to use.

2. Steps for regular use: enter the relevant information

When you had completed the master data maintenance as described in chapter 1, navigate to the “Input” tab where you can enter information to specific lots associated with those GTINs for which you entered master data. When you finished entering lot IDs and the related attribute information, press the  button. You will be asked, where to store the generated XML-file, which you will need later on to upload it to the PRO TRACE-system.

2.1 Fish aquaculture

For the fish aquaculture assortment, the input sheet looks like this:



Processing Date	GTIN	LOT	Catching Date	Best Before Date	Storage State Code	Country of Origin	Number of Farms	Farm GLN	
26.05.2018	94000001100038 - DummyFishAquacul	20180601011	21.05.2018	20.08.2018	NOT_PREVIOUSLY_FROZEN	ES	0	4000001000005 - GS1	OK
27.05.2018	94000001100038 - DummyFishAquacul	20180601012	25.05.2018	25.06.2018	PREVIOUSLY_FROZEN	DE	2	4260403910003 - Waldecker Fischzuchten	OK

Basically, you will need to give the following indications for each article:

- Processing date
- GTIN
- Lot-number
- Catching date
- Best before date (if only raw, products are used, please enter “raw” instead of Best before Date)
- Storage state code: NOT_ PREVIOUSLY_FROZEN or PREVIOUSLY_FROZEN


Attributes specifying the origin:

- Country of origin
- Number of farms: 0, if no farm GLNs are given
 x, if x farm GLNs are indicated
- Farm GLN: please enter here all GLNs for the farms the specified GTIN-Lot-combination comes from

At the end of the line you get the status “OK”, if the rough check of the data you entered was positive. If not, you will get a hint in the column “Input advice”.


Input Advice	
OK	
OK	
OK	

2.2 Further processing




Once, you entered all data, press on the play icon :

Version: 1.17


METRO GROUP

EN 


EPCIS XML EVENT GENERATOR meat

Slaughtering Date	GTIN	Examples	LOT	Country of Birth	Farm ID Type	Farm ID	Cutting Date	Cutting GLN	Examples	Best Before Date
05.05.2016	94000001100036 - DummyMeatFinished		20160601041	DE	VVVO	276055580040001	10.05.2016	4000001000005 - GS		20.06.2016 
07.05.2016	94000001100036 - DummyMeatFinished		20160601041	DE	VVVO	2760555930040001	10.05.2016	4000001000005 - GS		20.06.2016 
21.05.2016	94000001100036 - DummyMeatFinished		20160601042	DE	GLN	4004876000009	25.05.2016	4004876000009 - KernPorter		25.06.2016 


Then, you are asked for confirmation, please press “Yes”. (“No” will stop the process)



Select a folder, where the generated XML-files should be stored



Finally, you get a result-message like this:




Then, please proceed to upload the file to the fTRACE-system ([see chapter 3.](#)).

3. Upload to the PRO TRACE DATA ENTRY-website

Once you generated an XML-file, you can upload it to PRO TRACE like this:

Login to the data entry-website of PRO TRACE: <https://dataentry.protrace.metrosystems.net/login> using the login-data you were provided with during your company's PRO TRACE onboarding process. In case you didn't receive any login data, please contact protrace@metro.de

Chose "File Upload" in the menu and then press the button "Choose files":



Click "Upload" and choose the file you generated as described in the previous chapter. After successful uploading the file/s you can see them in the "Pending Uploads" section listed with the status "UPLOADED":

Pending Uploads

	Last update	Filename	Status
<input type="checkbox"/>	2018-02-18T13:37:01.001	20180116_142600_epcis_event_meat.xml	UPLOADED
<input type="checkbox"/>	2018-02-18T13:37:00.001	20180116_135522_epcis_event_meat.xml	UPLOADED

Selecting one or all rows and pressing "Send" will submit the uploaded files to the PRO TRACE Event Repository (PIER).

	Last update	Filename	Status
<input checked="" type="checkbox"/>	2018-02-18T13:37:01.001	20180116_142600_epcis_event_meat.xml	UPLOADED
<input type="checkbox"/>	2018-02-18T13:37:00.001	20180116_135522_epcis_event_meat.xml	UPLOADED

After this was successful, please check the result. If the file/s were processed successful the status changed to "SUBMITTED" in case of any error, an error message is shown and the status is changing to "FAILED". To delete failed files, you can select them and press "Delete". This deletes the file on the system. Already submitted data is not affected from this delete!

The uploaded data can be shown on the "History" page, choose "History" from the navigation:





On the "History" page you can see all of your– successful – submitted events



History

Last Events

Page 1 of 2 pages. Displaying 20 of 36 Events

Creation Date	Event Type	Event ID	Created By	
2018-02-18T14:47:08.015	fishing	07032121-6a6a-441e-0211-1322e6539f70	TEST	
2018-02-15T16:52:45.944	file-upload	847e6f19-0154-4afb-1424-09814df915e2	TEST	

The original XML structure can be displayed by clicking on the magnifier icon

Creation Date	Event Type	Event ID	Created By	
2018-02-18T14:47:08.015	fishing	07032121-6a6a-441e-0211-1322e6539f70	TEST	
2018-02-15T16:52:45.944	file-upload	847e6f19-0154-4afb-1424-09814df915e2	TEST	

The EPCIS Event-XML will look similar to the file which was used during the upload and submit process on the “File Upload” page:

Event-Details

Showing Event-Details for event with id '07032121-6a6a-441e-82a1-1322e6539f70'.

EPCIS Event-XML

```
<epcis:ObjectEvent xmlns:epcis="urn:epcglobal:epcis:xsd:1" xmlns:epcismd="urn:epcglobal:epcis-masterdata:xsd:1"
xmlns:ft_fruit="http://ns.fruit.ftrace.com" xmlns:ft_fish="http://ns.fish.ftrace.com"
xmlns:sbdh="http://www.unece.org/cefact/namespaces/StandardBusinessDocumentHeader"
xmlns:epcisq="urn:epcglobal:epcis-query:xsd:1" xmlns:epcglobal="urn:epcglobal:xsd:1"
xmlns:ft="http://ns.ftrace.com/epcis" xmlns:eccc="http://ns.eccc.info/epcis">
  <eventTime>2018-03-12T00:00:00Z</eventTime>
  <recordTime>2018-03-19T10:59:37.767Z</recordTime>
  <eventTimeZoneOffset>+00:00</eventTimeZoneOffset>
  <epcList>
    <action>ADD</action>
    <bizStep>urn:epcglobal:cbv:bizstep:commissioning</bizStep>
    <readPoint>
      <id>urn:epc:id:sgln:4047111.00000.0</id>
    </readPoint>
    <bizLocation>
      <id>urn:epc:id:sgln:4047111.00000.0</id>
    </bizLocation>
    <extension>
      <quantityList>
        <quantityElement>
          <epcClass>urn:epc:class:lgtn:48951979.01002.1234</epcClass>
          <quantity>20</quantity>
          <uom>KGM</uom>
        </quantityElement>
      </quantityList>
    </extension>
    <ilmd>
      <ft:storageStateCode>NOT_PREVIOUSLY_FROZEN</ft:storageStateCode>
      <ft_fish:catchingPeriodEnd>2018-03-18T00:00Z</ft_fish:catchingPeriodEnd>
      <ft_fish:vesselCatchInformation>
        <ft:catchArea>21.4</ft:catchArea>
        <ft:catchMethod>TB</ft:catchMethod>
      </ft_fish:vesselCatchInformation>
    </ilmd>
  </extension>
  <eccc:eventId>07032121-6a6a-441e-82a1-1322e6539f70</eccc:eventId>
</epcis:ObjectEvent>
```

The submitted values can be queried using the PRO TRACE app for Android or iOS ([see chapter 4.](#)).


4. Request traceability information via the PRO TRACE app

To query traceability information stored in PRO TRACE the PRO TRACE mobile app is available in the app stores:

Android: <https://play.google.com/store/apps/details?id=net.metrosystems.followMETRO>

iOS: <https://itunes.apple.com/de/app/pro-trace/id886168099>

After downloading and installing the app on your mobile phone, you are able to directly scan a product code or manually enter a GTIN and LOT of a processed product.



Advise:

Your master data (GLN, supplier name, sourcing country, and GTIN with description, product type, etc.) have to be provided to protrace@metro.de or your responsible METRO contact person upfront to be able to query for traceability information via the PRO TRACE mobile app!

5. Appendix

5.1 GLN (Global Location Number) and GCP (Global Company Prefix):

With the help of the GEPIR-tool (provided online by GS1), you can find out more about a supplier for a given GTIN.

German version: <http://www.gepir.de>

Spanish version: <http://sede.aecoc.es:8000/GEPIR/consultas/SearchByGTIN.aspx>

to be found on: <http://www.gs1es.org/>

The output looks a little bit different and you do not get a direct feedback for the global company prefix.

International site: <http://gepir.gs1.org/v32/xx/default.aspx?Lang=en-US/>

To understand more about the GCP, please take a look at the following example:

If you start from a GTIN like 08411030020135 (LONGANIZA MAGRO 2.2KG BL SRR), you can enter it to the GEPIR-system, to retrieve the related supplier data.

Then you get a result like this:

Unternehmen

[Drucken](#) [Exportieren](#)

GLN	8411030000007
Firmenname	CARNICAS SERRANO S.L.
Adresse	Villa de Madrid 45 Poligono Fuente Del Jarro 46988 Paterna
Kontakt	+34961341112 +34961322511 jgarcia@cserrano.es
Letzte Änderung	22.03.2017
Basisnummer	8411030

‘Unternehmen means ‘company’

‘Firmenname’ means ‘company name’

‘Adresse’ means ‘address’

‘Kontakt’ means ‘contact’

‘Letzte Änderung’ means ‘last updated’

Basisnummer means ‘Global company prefix’

So, the related GLN for the supplier is: 8411030000007

Thereof, the **G**lobal **C**ompany **P**refix (GCP) is: 8411030

This **G**lobal **C**ompany **P**refix is of variable length, so, the GCP-length is 7 for this supplier!

A GTIN contains basically an ID that identifies a company in a globally unique way and an item reference that is assigned to a certain item type by the owner of the global company prefix. The global company prefix is typically

assigned to a company by the local GS1 organization. For further Information please refer to the GS1-general specifications.

5.2 Example XML file

The XML-generator-tool generate an XML file which contains several EPCIS Events ([see GS1 global](#)). For example, one row of the “fish” has the following lines as result:

```
<?xml version="1.0" encoding="UTF-8"?>
<epcis:EPCISDocument xmlns:ft_fruit="http://ns.fruit.fttrace.com" xmlns:epcis="urn:epcglobal:epcis:xsd:1"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:ft="http://ns.fttrace.com/epcis"
  xmlns:ft_fish="http://ns.fish.fttrace.com" schemaVersion="1.1"
  xsi:schemaLocation="urn:epcglobal:epcis:xsd:1 http://static.fttrace.de/xsd/EPCglobal-epcis-1.1.xsd" creationDate="2015-09-07T11:23:54+02:00">
  <EPCISBody>
    <EventList>
      <ObjectEvent>
        <eventTime>2016-02-20T00:00:00Z</eventTime>
        <eventTimeZoneOffset>+02:00</eventTimeZoneOffset>
        <epcList/>
        <action>ADD</action>
        <bizStep>urn:epcglobal:cbv:bizstep:commissioning</bizStep>
        <readPoint>
          <id>urn:epc:id:sgln:4000000.00000.0</id>
        </readPoint>
        <bizLocation>
          <id>urn:epc:id:sgln:4000000.00000.0</id>
        </bizLocation>
        <extension>
          <quantityList>
            <quantityElement>
              <epcClass>urn:epc:class:lgtn:40000011.90005.1234573a</epcClass>
              <quantity>1</quantity>
              <uom>KGM</uom>
            </quantityElement>
          </quantityList>
          <ilmd>
            <ft_fish:catchingPeriodEnd>2016-02-20T00:00:00Z</ft_fish:catchingPeriodEnd>
            <ft:bestBeforeDate>2016-03-07</ft:bestBeforeDate>
            <ft:storageStateCode>PREVIOUSLY_FROZEN</ft:storageStateCode>
            <ft_fish:unloadingPort>DE BRV</ft_fish:unloadingPort>
            <ft_fish:vesselCatchInformation>
              <ft:catchMethod>DRB</ft:catchMethod>
              <ft:catchArea>27.1</ft:catchArea>
              <ft_fish:vesselID>V.11-01</ft_fish:vesselID>
              <ft_fish:vesselName>M/V Dunedin Star</ft_fish:vesselName>
            </ft_fish:vesselCatchInformation>
          </ilmd>
        </extension>
      </ObjectEvent>
      <extension>
        <TransformationEvent>
          <eventTime>2016-02-28T00:00:00Z</eventTime>
          <eventTimeZoneOffset>+02:00</eventTimeZoneOffset>
          <inputQuantityList>
            <quantityElement>
              <epcClass>urn:epc:class:lgtn:40000011.90005.1234573a</epcClass>
              <quantity>1</quantity>
              <uom>KGM</uom>
            </quantityElement>
            <quantityElement>
              <epcClass>urn:epc:class:lgtn:40000011.90005.1234573b</epcClass>
              <quantity>1</quantity>
              <uom>KGM</uom>
            </quantityElement>
          </inputQuantityList>
          <outputQuantityList>
            <quantityElement>
              <epcClass>urn:epc:class:lgtn:40000011.90005.1234573</epcClass>
              <quantity>1</quantity>
              <uom>KGM</uom>
            </quantityElement>
          </outputQuantityList>
          <bizStep>urn:epcglobal:cbv:bizstep:transforming</bizStep>
          <readPoint>
            <id>urn:epc:id:sgln:4000000.00000.0</id>
          </readPoint>
          <bizLocation>
            <id>urn:epc:id:sgln:4000000.00000.0</id>
          </bizLocation>
          <ilmd>
            <ft:bestBeforeDate>2016-03-07</ft:bestBeforeDate>
          </ilmd>
        </TransformationEvent>
      </extension>
    </EventList>
  </EPCISBody>
</epcis:EPCISDocument>
```

Note: The file contains two events, a commissioning and a transformation event. Uploading this file to the PRO TRACE System will return a message uploaded 2 events, this could lead to misunderstandings due to only one row was filled as input.